











BMAX

Multi Purpose Connecting Elements






Multi Purpose Connecting Elements



ADJUSTABLE POST BASES

Code	Type	Coating	Thickness (mm)	Dimensions (mm)			Qty/ Carton
				A	B	C	
190 19	Aadjustable (2,5mm)	Galvanized	2,5	80-120	65	110	32
190 20	Adjustable - with base (2,5mm)	Galvanized		80-120	65	110	32
190 05	Adjustable (3mm)	Galvanized	3,0	80-120	65	110	32
190 06	Adjustable - with base (3mm)	Galvanized		80-120	65	110	32
190 24	Adjustable (with motif)	Galvanized	2,5	80-120	65	135	32
190 25	Adjustable (with motif and base)	Galvanized		80-120	65	110	32
190 30	Heavy Load - Adjustable	Galvanized	5,0	110-160	60	145	20
190 31	H.Load Adj. - with base	Galvanized		110-160	60	145	20




U FORM POST BASES

Code	Type	Coating	Thickness (mm)	Dimensions (mm)			Qty/ Carton
				A	B	C	
190 08	U Form 80	Galvanized	2.5	72	65	90	50
190 09	U Form 100	Galvanized	2.5	92	65	80	50
190 44	U Form 135	Galvanized	2.5	135	65	80	20
190 13	U Form 80 - with base	Galvanized	2.5	72	65	90	50
190 14	U Form 100 - with base	Galvanized	2.5	92	65	80	40
190 45	U Form 135 - with base	Galvanized	2.5	135	65	80	20
190 10	L Form	Galvanized	2.5	-	65	80	50

ECONOMIC POST BASES

Code	Type	Coating	Thickness (mm)	Dimensions (mm)			Qty/ Carton
				A	B	C	
190 15	Economic 80	Galvanized	2	72	60	75	50
190 16	Economic 100	Galvanized	2	92	60	65	50
190 17	Economic 80 - with base	Galvanized	2	72	60	75	50
190 18	Economic 100 - with base	Galvanized	2	92	60	65	40




OTHERS

Code	Type	Thickness (mm)	Coating	Dimensions (mm)			Qty/ Cartoon
				A	B	C	
190 27	Symmetric Adjustable Supporter	2	Galvanized	50x50	40x40	26-36	20
190 11	Adjustable Supporter	2.5	Galvanized	Ø 90	50x50	65-100	50
190 22	Mini Supporter	2	Galvanized	45	40	35,000	30
190 28	Mini Pergola Supporter	2	Galvanized	45	60	65,000	50
190 40	Base Pergola Foot	2	Galvanized	92	90	95,000	25
190 41	Base Pergola Foot	2	Galvanized	132	90	95,000	20
190 42	Base Pergola Foot	2	Galvanized	132	130	95,000	20
190 43	Base Pergola Adjustable	2	Galvanized	-90135,000			20
190 47	Heavy Duty - Adjustable	5	Galvanized	-	60	160,000	20
190 29	Square Base Pergola	2,5	Galvanized	94	94	50,000	40



190 29



194 08




194 10

ANGLES (Heavy Duty) 90°


Code	Thickness (mm)	Dimensions (mm)			Hole (mm)		Qty/ Cartoon	PAINTED Code
		A	B	C	(mm)	Qty		
194 07	2	40	40	40	5	8	100	201 80
194 08	2	45	50	50	5+11	8+2	100	201 81
194 09	2	45	80	80	5+11	12+2	40	201 82
194 10	2	50	45	55	5+6	12+2	80	201 79
194 11	2	60	60	60	5+12	8+2	50	201 83
194 12	2	60	80	80	5+12	12+2	30	201 84
194 13	2	60	100	100	5+12	16+2	25	201 85
194 14	2,5	65	150	150	5+12	28+3	25	201 86
194 30	2	80	60	60	5+12	8+2	50	201 87
194 31	2	80	80	80	5+12	12+2	30	201 88
194 32	2	80	100	100	5+12	16+2	25	201 89
194 35	2	100	80	80	5+12	32+2	25	201 90
194 36	2	100	100	100	5+12	40+2	25	201 91

ANGLES SYMETRIC 90°



Code	Thickness (mm)	Dimensions (mm)			Hole (mm)		Qty/ Cartoon
		A	B	C	(mm)	Qty	
198 05	1,5	10	15	15	3.5	2	200
198 06	1,5	10	30	30	3.5	4	200
198 07	1,5	10	45	45	3.5	6	200
198 08	1,5	10	60	60	3.5	8	200




FLATS



Code	Thickness (mm)	Dimensions (mm)		Hole (mm)		Weight (gr)	Qty/ Package
		A	B	(mm)	Qty		
198 00	1,5	10	30	3.5	2	3	200
198 01	1,5	10	60	3.5	4	6	200
198 02	1,5	10	90	3.5	6	9	200
198 03	1,5	10	120	3.5	8	12	200


ANGLES

90°



Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	PAINTED Code
		A	B	C	(mm)	Qty		
194 54	1,5	15	30	30	5	4	250	200 74
194 55	1,5	20	40	40	5	4	200	200 75
194 56	1,5	20	50	50	5	4	150	200 76
191 00	2	15	20	20	5	2	300	200 00
191 01	2	15	40	40	5	4	250	200 01
191 02	2	15	60	60	5	6	150	200 02
191 03	2	15	80	80	5	8	100	200 03
191 04	2	15	100	100	5	10	100	200 04
191 05	2	15	120	120	5	12	50	200 05
191 06	2	15	140	140	5	14	50	200 06
191 10	2	20	20	20	5	2	200	200 10
191 11	2	20	40	40	5	4	200	200 11
191 12	2	20	60	60	5	6	100	200 12
191 13	2	20	80	80	5	8	100	200 13
191 14	2	20	100	100	5	10	100	200 14
191 15	2	20	120	120	5	12	50	200 15
191 16	2	20	140	140	5	14	50	200 16
192 80	2	30	20	20	5	4	150	200 20
192 81	2	30	40	40	5	8	100	200 21
192 82	2	30	60	60	5	12	100	200 22
192 83	2	30	80	80	5	16	100	200 23
192 84	2	30	100	100	5	20	50	200 24
192 85	2	30	120	120	5	24	50	200 25
192 86	2	30	140	140	5	28	50	200 26
191 20	2	40	20	20	5	4	100	200 30
191 21	2	40	40	40	5	8	100	200 31
191 22	2	40	60	60	5	12	100	200 32
191 23	2	40	80	80	5	16	100	200 33
191 24	2	40	100	100	5	20	80	200 34
191 25	2	40	120	120	5	24	50	200 35
191 26	2	40	140	140	5	28	50	200 36
194 01	2	60	40	40	5	12	50	200 40
194 02	2	60	60	60	5	18	50	200 41
194 03	2	60	80	80	5	24	50	200 42
194 04	2	60	100	100	5	30	50	200 43
194 05	2	60	120	120	5	36	25	200 44
194 06	2	60	140	140	5	40	25	200 45
194 20	2	80	40	40	5	16	50	200 50
194 21	2	80	60	60	5	24	50	200 51
194 22	2	80	80	80	5	32	50	200 52
194 23	2	80	100	100	5	40	25	200 53
194 24	2	80	120	120	5	48	25	200 54
194 25	2	80	140	140	5	54	25	200 55
194 41	2	100	60	60	5	30	50	200 60
194 42	2	100	80	80	5	40	25	200 61
194 43	2	100	100	100	5	50	25	200 62
194 44	2	100	120	120	5	60	25	200 63
194 45	2	100	140	140	5	70	25	200 64

ROUND HEAD PROFILE ANGLE **90°**





199 05



Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	<i>PAINTED</i> Code
		A	B	C	(mm)	Qty		
197 95	1,5	15	30	30	4	4	250	203 95
197 96	1,5	15	40	40	4	4	250	203 96
197 97	1,5	15	50	50	4	4	200	203 97
198 30	2	15	25	25	5	2	250	204 40
198 31	2	15	35	35	5	4	250	204 41
198 32	2	15	45	45	5	4	250	204 42
198 33	2	15	55	55	5	6	150	204 43
198 34	2	15	65	65	5	6	150	204 44
198 35	2	15	75	75	5	8	100	204 45
198 36	2	15	85	85	5	8	100	204 46
198 37	2	15	95	95	5	10	100	204 47
198 38	2	15	105	105	5	12	100	204 48
198 40	2	20	25	25	5	2	200	204 50
198 41	2	20	35	35	5	4	200	204 51
198 42	2	20	45	45	5	4	200	204 52
198 43	2	20	55	55	5	6	150	204 53
198 44	2	20	65	65	5	6	100	204 54
198 45	2	20	75	75	5	8	100	204 55
198 46	2	20	85	85	5	8	100	204 56
198 47	2	20	95	95	5	10	100	204 57
198 48	2	20	105	105	5	12	100	204 58
198 49	3	20	120	120	5	4	100	204 59
199 05	2	22	30	30	5	4	250	204 85
198 50	2	30	25	25	5	4	150	204 60
198 51	2	30	35	35	5	4	150	204 61
198 52	2	30	45	45	5	6	100	204 62
198 53	2	30	55	55	5	8	100	204 63
198 54	2	30	65	65	5	8	100	204 64
198 55	2	30	75	75	5	8	100	204 65
198 56	2	30	85	85	5	12	50	204 66
198 57	2	30	95	95	5	12	50	204 67
198 58	2	30	105	105	5	12	50	204 68
198 60	2	40	25	25	5	4	150	204 70
198 61	2	40	35	35	5	4	150	204 71
198 62	2	40	45	45	5	8	100	204 72
198 63	2	40	55	55	5	8	100	204 73
198 64	2	40	65	65	5	8	100	204 74
198 65	2	40	75	75	5	8	100	204 75
198 66	2	40	85	85	5	12	50	204 76
198 67	2	40	95	95	5	12	50	204 77
198 68	2	40	105	105	5	12	50	204 78
199 00	2	60	45	45	5	8	80	204 80
199 01	2	60	65	65	5	12	50	204 81
199 02	2	60	90	90	5	16	40	204 82
199 03	2	60	110	110	5	20	40	204 83

ANGLES ASYMETRIC



90°



Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	PAINTED Code
		A	B	C	(mm)	Qty		
191 30	2	15	20	60	5	4	100	202 00
191 31	2	15	40	80	5	6	100	202 01
191 32	2	15	40	120	5	8	100	202 02
191 33	2	15	40	160	5	10	100	202 03
191 34	2	15	40	200	5	12	100	202 04
191 35	2	15	40	240	5	14	100	202 05
191 36	2	15	60	100	5	8	100	202 06
191 37	2	15	60	140	5	10	100	202 07
191 38	2	15	60	180	5	12	100	202 08
191 39	2	15	60	220	5	14	100	202 09
191 40	2	15	80	120	5	10	100	202 10
191 41	2	15	80	160	5	12	50	202 11
191 42	2	15	80	200	5	14	50	202 12
191 43	2	15	100	140	5	12	50	202 13
191 44	2	15	100	180	5	14	50	202 14
191 45	2	15	120	160	5	14	50	202 15
191 50	2	20	20	60	5	4	100	202 20
191 51	2	20	40	80	5	6	100	202 21
191 52	2	20	40	120	5	8	100	202 22
191 53	2	20	40	160	5	10	100	202 23
191 54	2	20	40	200	5	12	100	202 24
191 55	2	20	40	240	5	14	100	202 25
191 56	2	20	60	100	5	8	100	202 26
191 57	2	20	60	140	5	10	100	202 27
191 58	2	20	60	180	5	12	50	202 28
191 59	2	20	60	220	5	14	50	202 29
191 60	2	20	80	120	5	10	50	202 30
191 61	2	20	80	160	5	12	50	202 31
191 62	2	20	80	200	5	14	50	202 32
191 63	2	20	100	140	5	12	50	202 33
191 64	2	20	100	180	5	14	50	202 34
191 65	2	20	120	160	5	14	50	202 35
195 00	2	30	20	60	5	8	100	202 40
195 01	2	30	40	80	5	12	100	202 41
195 02	2	30	40	120	5	16	100	202 42
195 03	2	30	40	160	5	20	100	202 43
195 04	2	30	40	200	5	24	100	202 44
195 05	2	30	40	240	5	28	100	202 45
195 06	2	30	60	100	5	16	100	202 46
195 07	2	30	60	140	5	20	100	202 47
195 08	2	30	60	180	5	24	100	202 48
195 09	2	30	60	220	5	28	100	202 49
195 10	2	30	80	120	5	20	100	202 50
195 11	2	30	80	160	5	24	50	202 51
195 12	2	30	80	200	5	28	50	202 52
195 13	2	30	100	140	5	24	50	202 53
195 14	2	30	100	180	5	28	50	202 54
195 15	2	30	120	160	5	28	50	202 55

ANGLES ASYMETRIC


90°



Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	<i>PAINTED</i>
		A	B	C	(mm)	Qty		Code
191 70	2	40	20	60	5	8	100	202 60
191 71	2	40	40	80	5	12	100	202 61
191 72	2	40	40	120	5	16	100	202 62
191 73	2	40	40	160	5	20	100	202 63
191 74	2	40	40	200	5	24	100	202 64
191 75	2	40	40	240	5	28	100	202 65
191 76	2	40	60	100	5	16	100	202 66
191 77	2	40	60	140	5	20	100	202 67
191 78	2	40	60	180	5	24	50	202 68
191 79	2	40	60	220	5	28	50	202 69
191 80	2	40	80	120	5	20	50	202 70
191 81	2	40	80	160	5	24	50	202 71
191 82	2	40	80	200	5	28	50	202 72
191 83	2	40	100	140	5	24	50	202 73
191 84	2	40	100	180	5	28	50	202 74
191 85	2	40	120	160	5	28	50	202 75
195 16	2	60	20	60	5	12	50	202 80
195 17	2	60	40	80	5	18	50	202 81
195 18	2	60	40	120	5	24	50	202 82
195 19	2	60	40	160	5	30	50	202 83
195 20	2	60	40	200	5	36	50	202 84
195 21	2	60	40	240	5	40	50	202 85
195 22	2	60	60	100	5	24	50	202 86
195 23	2	60	60	140	5	30	50	202 87
195 24	2	60	60	180	5	36	25	202 88
195 25	2	60	60	220	5	40	25	202 89
195 26	2	60	80	120	5	30	25	202 90
195 27	2	60	80	160	5	36	25	202 91
195 28	2	60	80	200	5	40	25	202 92
195 29	2	60	100	140	5	36	25	202 93
195 30	2	60	100	180	5	40	25	202 94
195 31	2	60	120	160	5	40	25	202 95
195 32	2	80	20	60	5	16	50	203 00
195 33	2	80	40	80	5	24	50	203 01
195 34	2	80	40	120	5	32	50	203 02
195 35	2	80	40	160	5	40	50	203 04
195 36	2	80	40	200	5	48	50	203 05
195 37	2	80	40	240	5	54	50	203 06
195 38	2	80	60	100	5	32	50	203 07
195 39	2	80	60	140	5	40	50	203 08
195 40	2	80	60	180	5	48	25	203 09
195 41	2	80	60	220	5	54	25	203 10
195 42	2	80	80	120	5	40	25	203 11
195 43	2	80	80	160	5	48	25	203 12
195 44	2	80	80	200	5	54	25	203 13
195 45	2	80	100	140	5	48	25	203 14
195 46	2	80	100	180	5	54	25	203 15
195 47	2	80	120	160	5	54	25	203 16


ANGLES ASYMETRIC

90°




Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	<i>PAINTED</i>
		A	B	C	(mm)	Qty		Code
195 48	2	100	20	60	5	20	50	203 20
195 49	2	100	40	80	5	30	50	203 21
195 50	2	100	40	120	5	40	50	203 22
195 51	2	100	40	160	5	50	25	203 23
195 52	2	100	40	200	5	60	25	203 24
195 53	2	100	40	240	5	70	25	203 25
195 54	2	100	60	100	5	40	25	203 26
195 55	2	100	60	140	5	50	25	203 27
195 56	2	100	60	180	5	60	25	203 28
195 57	2	100	60	220	5	70	25	203 29
195 58	2	100	80	120	5	50	25	203 30
195 59	2	100	80	160	5	60	25	203 31
195 60	2	100	80	200	5	70	25	203 32
195 61	2	100	100	140	5	60	25	203 33
195 62	2	100	100	180	5	70	25	203 34
195 63	2	100	120	160	5	70	25	203 35

ANGLES LONG TYPES








Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	<i>PAINTED</i>
		A	B	C	(mm)	Qty		Code
191 87	2	80	20	20	5	8	50	203 65
191 86	2	100	20	20	5	10	50	203 66
191 88	2	120	20	20	5	12	50	203 67
191 89	2	160	20	20	5	16	50	203 68
191 90	2	200	20	20	5	20	50	203 69
194 40	2	100	40	40	5	20	50	203 70
191 91	2	120	40	40	5	24	25	203 71
191 92	2	160	40	40	5	32	25	203 72
191 93	2	200	40	40	5	40	25	203 73
191 94	2	240	40	40	5	48	25	203 74
191 95	2	280	40	40	5	56	25	203 75

LONG TYPE ROUND EDGE ANGLE






Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	<i>PAINTED</i>
		A	B	C	(mm)	Qty		Code
193 90	2	65	15	15	5	4	50	203 76
193 91	2	85	15	15	5	4	50	203 77
193 92	2	105	15	15	5	8	50	203 78
193 93	2	125	15	15	5	8	50	203 79
193 94	2	145	15	15	5	8	50	203 80
193 95	2	165	15	15	5	12	50	203 81
193 96	2	185	15	15	5	12	50	203 82
193 97	2	205	15	15	5	12	50	203 83
193 86	2	85	30	30	5	8	60	203 86
193 87	2	130	30	30	5	12	50	203 87
193 88	2	175	30	30	5	16	50	203 88
193 89	2	220	30	30	5	20	50	203 89

FLATS



Code	Thickness (mm)	Dimensions (mm)		Hole		Qty/ Cartoon	<i>PAINTED</i>
		A	B	(mm)	Qty		Code
192 00	2	15	40	5	2	100	201 00
192 01	2	15	80	5	4	200	201 01
192 02	2	15	120	5	6	100	201 02
192 03	2	15	160	5	8	100	201 03
192 04	2	15	200	5	10	50	201 04
192 05	2	15	240	5	12	50	201 05
192 06	2	15	280	5	14	50	201 06
192 10	2	20	40	5	2	100	201 10
192 11	2	20	80	5	4	100	201 11
192 12	2	20	120	5	6	100	201 12
192 13	2	20	160	5	8	100	201 13
192 14	2	20	200	5	10	50	201 14
192 15	2	20	240	5	12	50	201 15
192 16	2	20	280	5	14	50	201 16
192 30	2	30	40	5	4	100	201 20
192 31	2	30	80	5	8	100	201 21
192 32	2	30	120	5	12	100	201 22
192 33	2	30	160	5	16	100	201 23
192 34	2	30	200	5	20	50	201 24
192 35	2	30	240	5	24	50	201 25
192 36	2	30	280	5	28	50	201 26
192 20	2	40	40	5	4	100	201 30
192 21	2	40	80	5	8	100	201 31
192 22	2	40	120	5	12	100	201 32
192 23	2	40	160	5	16	100	201 33
192 24	2	40	200	5	20	50	201 34
192 25	2	40	240	5	24	50	201 35
192 26	2	40	280	5	28	50	201 36
192 27	2	45	100	5+11	8+2	100	201 37
192 28	2	45	160	5+11	12+2	50	201 38
193 00	2	60	40	5	6	50	201 40
193 01	2	60	80	5	12	50	201 41
193 02	2	60	120	5	18	50	201 42
193 03	2	60	160	5	24	50	201 43
193 04	2	60	200	5	30	50	201 44
193 05	2	60	240	5	36	25	201 45
193 06	2	60	280	5	40	25	201 46
193 11	2	80	80	5	16	50	201 50
193 12	2	80	120	5	24	50	201 51
193 13	2	80	160	5	32	50	201 52
193 14	2	80	200	5	40	50	201 53
193 15	2	80	240	5	48	25	201 54
193 16	2	80	280	5	54	25	201 55
193 31	2	100	80	5	20	50	201 61
193 32	2	100	120	5	30	50	201 62
193 33	2	100	160	5	40	50	201 63
193 34	2	100	200	5	50	25	201 64
193 35	2	100	240	5	60	25	201 65
193 36	2	100	280	5	70	25	201 66


ROUND HEAD PROFILE FLAT



Code	Thickness (mm)	Dimensions (mm)		Hole		Qty/ Cartoon	<i>PAINTED</i>
		A	B	(mm)	Qty		Code
197 90	1,5	15	60	5	4	100	203 90
197 91	1,5	15	80	5	4	100	203 91
197 92	1,5	15	100	5	4	100	203 92
198 10	2	15	45	5	2	100	204 00
198 11	2	15	65	5	4	100	204 01
198 12	2	15	85	5	4	100	204 02
198 13	2	15	105	5	6	50	204 03
198 14	2	15	125	5	6	50	204 04
198 15	2	15	145	5	8	50	204 05
198 16	2	15	165	5	8	50	204 06
198 17	2	15	185	5	10	50	204 07
198 18	2	15	205	5	12	50	204 08
198 20	2	20	45	5	2	100	204 10
198 21	2	20	65	5	4	100	204 11
198 22	2	20	85	5	4	100	204 12
198 23	2	20	105	5	6	50	204 13
198 24	2	20	125	5	6	50	204 14
198 25	2	20	145	5	8	50	204 15
198 26	2	20	165	5	8	50	204 16
198 27	2	20	185	5	10	50	204 17
198 28	2	20	205	5	12	50	204 18
198 70	2	30	45	5	4	100	204 20
198 71	2	30	65	5	4	100	204 21
198 72	2	30	85	5	4	100	204 22
198 73	2	30	105	5	8	50	204 23
198 74	2	30	125	5	8	50	204 24
198 75	2	30	145	5	8	50	204 25
198 76	2	30	165	5	12	50	204 26
198 77	2	30	185	5	12	50	204 27
198 78	2	30	205	5	12	50	204 28
198 80	2	40	45	5	4	100	204 30
198 81	2	40	65	5	4	100	204 31
198 82	2	40	85	5	4	100	204 32
198 83	2	40	105	5	8	50	204 33
198 84	2	40	125	5	8	50	204 34
198 85	2	40	145	5	8	50	204 35
198 86	2	40	165	5	12	50	204 36
198 87	2	40	185	5	12	50	204 37
198 88	2	40	205	5	12	50	204 38
198 91	2	60	85	5	8	100	204 91
198 92	2	60	130	5	12	100	204 92
198 93	2	60	175	5	16	50	204 93
198 94	2	60	220	5	20	50	204 94

ANGLES

135°




Code	Thickness (mm)	Dimensions (mm)			Hole (mm)		Qty/ Cartoon
		A	B	C	(mm)	Qty	
194 60	2	40	40	40	5	8	100
194 61	2	40	60	60	5	12	100
194 62	2	40	80	80	5	16	50
194 63	2	40	100	100	5	20	50
194 64	2	40	120	120	5	24	50
194 65	2	40	140	140	5	28	50
194 66	2	60	40	40	5	12	50
194 67	2	60	60	60	5	18	50
194 68	2	60	80	80	5	24	50
194 69	2	60	100	100	5	30	50
194 70	2	60	120	120	5	34	25
194 71	2	60	140	140	5	40	25



EMBOSSED ANGLE


Code	Thickness (mm)	Dimensions (mm)			Hole (mm)		Qty/ Cartoon
		A	B	C	(mm)	Qty	
190 65	1,2	22	28	45	4+4	1+1	60
190 66	1,2	30	25	25	4+4	2+1	60
190 67	1,2	70	25	40	4+4	3+2	60



ADJUSTABLE ANGLE

Code	Thickness (mm)	Dimensions (mm)			Hole (mm)		Qty/ Cartoon
		A	B	C	(mm)	Qty	
190 68	2	30	25	25	4+4	4+2	100
190 69	2	30	45	45	4+4	4+2	100
190 70	2	80	50	30	5	4+2	50
190 93	2	30	50	50	5+9	8+2	150
190 94	2	40	60	60	5+10	10+2	100
190 95	2	30	55	70	5+7	5+2	100
190 96	2	30	55	100	5+7	10+2	100
190 97	2	65	50	70	5+10	13+2	50


RELIEFED ANGLE



Code	Thickness (mm)	Dimensions (mm)			Hole (mm)		Qty/ Cartoon
		A	B	C	(mm)	Qty	
194 58	2	30	30	30	4,5	8	150
194 52	2	35	65	40	5+12	10+2	100
194 53	2,5	40	45	45	4,5	10	100
194 18	2	40	50	50	4+11	12+2	100
194 19	2	40	100	100	4+11	24+4	50


LOAD FLAT

Code	Thickness (mm)	Dimensions (mm)			Hole (mm)		Qty/ Cartoon
		A	B	C	(mm)	Qty	
194 59	2	30	60	-	4,5	8	150
194 48	2	40	100	-	4+11	12+2	100
194 49	2	40	200	-	4+11	24+4	50






OVAL ANGLE 90°

Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	<i>PAINTED</i> Code
		A	B	C	(mm)	Qty		
194 17	2	30	35	35	5+8	6+2	200	201 74
194 15	2	40	50	50	5+10	10+2	100	201 75
194 16	2	55	70	70	5+10	16+2	50	201 76




OVAL FLAT

Kalınlık Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	<i>PAINTED</i> Code
		A	B	C	(mm)	Qty		
194 57	2	30	70	-	5+8	6+2	50	201 67
194 50	2	40	95	-	5+10	10+2	50	201 68
194 51	2	55	135	-	5+10	16+2	50	201 69




FLAT CORNER PLATE

Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	<i>PAINTED</i> Code
		A	B	C	(mm)	Qty		
192 46	1,5	12	30	30	4	4	200	-
192 47	1,5	12	40	40	4	4	200	-
192 48	1,5	12	50	50	4	4	200	-
192 40	2	22	80	80	5	4	100	203 40
192 50	2	15	60	60	3	4	100	203 50
192 51	2	15	80	80	3	6	100	203 51
192 52	2	15	100	100	3	8	100	203 52
192 53	2	15	120	120	3	10	100	203 53
192 54	2	15	140	140	3	12	50	203 54
192 56	2	30	80	80	3	8	100	203 56
192 57	2	30	100	100	3	10	50	203 57
192 58	2	30	120	120	3	12	50	203 58
192 59	2	30	140	140	3	12	50	203 59



FLAT "T" TYPE (United)




Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	<i>PAINTED</i> Code
		A	B	C	(mm)	Qty		
192 76	1,5	60	40	15	4	4	200	203 45
192 77	1,5	70	55	15	5	6	50	203 46
192 78	2	95	75	20	5	6	50	203 47
192 79	2	135	110	30	5	9	50	203 48



ANGLES "Z" TYPES

Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon	<i>PAINTED</i> Code
		A, B	C	D	(mm)	Qty		
192 70	2	40	40	80	5	16	50	203 60
192 71	2	40	60	60	5	16	50	203 61
192 72	2	40	80	80	5	20	50	203 62


HEAVY LOAD ANGLES SYMETRIC 90°



60x100x100 Angle *

Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon
		A	B	C	(mm)	Qty	
196 50	5	25	50	50	6	4	25
196 51	5	25	75	75	6	4	30
196 52	5	25	100	100	6	8	25
196 53	5	25	125	125	6	8	20
196 54	5	25	150	150	6	12	10
196 55	5	25	175	175	6	12	10
196 56	5	25	200	200	6	16	10
196 57	5	25	250	250	6	16	10
196 60	5	30	50	50	6	4	25
196 61	5	30	75	75	6	4	30
196 62	5	30	100	100	6	8	25
196 63	5	30	125	125	6	8	20
196 64	5	30	150	150	6	12	10
196 65	5	30	175	175	6	12	10
196 66	5	30	200	200	6	16	10
196 67	5	30	250	250	6	16	10
196 70	5	40	50	50	6	4	20
196 71	5	40	75	75	6	4	20
196 72	5	40	100	100	6	8	20
196 73	5	40	125	125	6	8	20
196 74	5	40	150	150	6	12	10
196 75	5	40	175	175	6	12	10
196 76	5	40	200	200	6	16	10
196 77	5	40	250	250	6	16	10
193 50	5	60	100	100	6+10	8+2	20
193 51	5	60	150	150	6+10	8+2	10
193 52	5	60	200	200	6+10	16+4	10
193 53	5	60	250	250	6+10	16+4	10




HEAVY LOAD ANGLES SYMETRIC 135°



Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon
		A	B	C	(mm)	Qty	
194 72	5	25	75	75	6	4	20
194 73	5	25	100	100	6	8	20
194 74	5	25	125	125	6	8	20
194 75	5	25	150	150	6	12	10
194 80	5	30	50	50	6	4	20
194 81	5	30	75	75	6	4	20
194 82	5	30	100	100	6	8	20
194 83	5	30	125	125	6	8	20
194 90	5	40	50	50	6	4	20
194 91	5	40	75	75	6	4	20
194 92	5	40	100	100	6	8	20
* 194 95	5	60	100	100	6+10	8+2	10
* 194 96	5	60	150	150	6+10	8+2	10




* Galvanized.

HEAVY LOAD ANGLES ASYMETRIC 90°



Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon
		A	B	C	(mm)	Qty	
196 30	5	25	50	100	6	4	20
196 31	5	25	50	150	6	8	20
196 32	5	25	50	200	6	8	20
196 33	5	25	50	250	6	12	10
196 34	5	25	50	300	6	12	10
196 35	5	25	50	350	6	16	10
196 36	5	25	50	400	6	16	10
196 37	5	25	100	150	6	8	20
196 38	5	25	100	200	6	12	10
196 39	5	25	100	250	6	12	10
196 40	5	25	100	300	6	16	10
196 41	5	25	100	400	6	16	10
196 42	5	25	150	200	6	12	10
196 43	5	25	150	250	6	16	10
196 44	5	25	150	350	6	16	10
196 45	5	25	200	300	6	16	10
195 80	5	30	50	100	6	4	20
195 81	5	30	50	150	6	8	20
195 82	5	30	50	200	6	8	20
195 83	5	30	50	250	6	12	10
195 84	5	30	50	300	6	12	10
195 85	5	30	50	350	6	16	10
195 86	5	30	50	400	6	16	10
195 87	5	30	100	150	6	8	20
195 88	5	30	100	200	6	12	10
195 89	5	30	100	250	6	12	10
195 90	5	30	100	300	6	16	10
195 91	5	30	100	400	6	16	10
195 92	5	30	150	200	6	12	10
195 93	5	30	150	250	6	16	10
195 94	5	30	150	350	6	16	10
195 95	5	30	200	300	6	16	10
196 80	5	40	50	100	6	4	20
196 81	5	40	50	150	6	8	20
196 82	5	40	50	200	6	8	20
196 83	5	40	50	250	6	12	10
196 84	5	40	50	300	6	12	10
196 85	5	40	50	350	6	16	10
196 86	5	40	50	400	6	16	10
196 87	5	40	100	150	6	8	20
196 88	5	40	100	200	6	12	10
196 89	5	40	100	250	6	12	10
196 90	5	40	100	300	6	16	10
196 91	5	40	100	400	6	16	10
196 92	5	40	150	200	6	12	10
196 93	5	40	150	250	6	16	10
196 94	5	40	150	350	6	16	10
196 95	5	40	200	300	6	16	10

HEAVY LOAD FLATS



60x200 Load Flat

Code	Thickness (mm)	Dimensions (mm)		Hole		Qty/ Cartoon
		A	B	(mm)	Qty	
196 00	5	25	100	6	4	20
196 01	5	25	150	6	4	20
196 02	5	25	200	6	8	20
196 03	5	25	250	6	8	20
196 04	5	25	300	6	12	10
196 05	5	25	350	6	12	10
196 06	5	25	400	6	16	10
196 08	5	25	450	6	16	10
196 07	5	25	500	6	16	10


196 10	5	30	100	6	4	20
196 11	5	30	150	6	4	20
196 12	5	30	200	6	8	20
196 13	5	30	250	6	8	20
196 14	5	30	300	6	12	10
196 15	5	30	350	6	12	10
196 16	5	30	400	6	16	10
196 18	5	30	450	6	16	10
196 17	5	30	500	6	16	10

196 20	5	40	100	6	4	20
196 21	5	40	150	6	4	20
196 22	5	40	200	6	8	20
196 23	5	40	250	6	8	20
196 24	5	40	300	6	12	10
196 25	5	40	350	6	12	10
196 26	5	40	400	6	16	10
196 28	5	40	450	6	16	10
196 27	5	40	500	6	16	10


* 193 40	5	60	200	6+10	8+2	10
* 193 41	5	60	300	6+10	8+2	10
* 193 42	5	60	400	6+10	16+4	10
* 193 43	5	60	500	6+10	16+4	10

* Galvanized

JOIST HANGERS




Code	Thickness (mm)	Type	Dimensions (mm)			Hole		Qty/ Cartoon
			A	B	C	(mm)	Qty	
190 78	2	Right - 80	40	80	145	5	16	20
190 79	2	Right - 120	40	120	185	5	24	20
190 80	2	Right - 160	40	160	225	5	32	20
190 81	2	Left - 80	40	80	145	5	16	20
190 82	2	Left - 120	40	120	185	5	24	20
190 83	2	Left - 160	40	160	225	5	32	20




JOIST HANGERS - Inner

Code	Thickness (mm)	Type	Dimensions (mm)			Hole		Qty/ Cartoon
			A	B	C	(mm)	Qty	
190 84	2	Inner	40	80	105	5	16	20
190 85	2	Inner	40	120	145	5	24	10
190 86	2	Inner	40	160	185	5	32	8




JOIST HANGERS - Outer

Code	Thickness (mm)	Type	Dimensions (mm)			Hole		Qty/ Cartoon
			A	B	C	(mm)	Qty	
190 87	2	Outer	40	80	105	5	16	12
190 88	2	Outer	40	120	145	5	24	10
190 89	2	Outer	40	160	185	5	32	10




JOIST HANGERS - Inner (unique)

Code	Thickness (mm)	Type	Dimensions (mm)			Hole		Qty/ Cartoon
			A	B	C	(mm)	Qty	
193 70	2	Inner	70	76	135	5,5+12	28+4	10
193 71	2	Inner	90	76	125	5,5+12	28+4	10
193 72	2	Inner	100	76	120	5,5+12	28+4	10
193 73	2	Inner	150	76	120	5,5+12	28+4	10
193 74	2	Inner	200	76	150	5,5+12	31+4	10




JOIST HANGERS - Outer (unique)

Code	Thickness (mm)	Type	Dimensions (mm)			Hole		Qty/ Cartoon
			A	B	C	(mm)	Qty	
193 75	1	Outer	45	60	90	5,5+12	20+2	10
193 76	1,5	Outer	45	85	100	5,5+12	20+2	10
193 77	2	Outer	45	85	100	5,5+12	20+2	10




PURLIN CONNECTOR - Inner

Code	Thickness (mm)	Type	Dimensions (mm)			Hole		Qty/ Cartoon
			A	B	C	(mm)	Qty	
193 60	2	Right	50	100	40	4	16	10
193 61	2	Left	50	100	40	4	16	10




PURLIN CONNECTOR - Outer

Code	Thickness (mm)	Type	Dimensions (mm)			Hole		Qty/ Cartoon
			A	B	C	(mm)	Qty	
193 65	2	Right	50	100	40	4	16	10
193 66	2	Left	50	100	40	4	16	10



CORNER PLATE

Code	Type	Dimensions (mm)			Thickness (mm)	Qty/ pkg
		A	B	C		
354 45	No: 1	50	15	70	1,5	60
354 46	No: 2	75	15	110	2	60



CORNER PLATE

Code	Type	Dimensions (mm)			Thickness (mm)	Qty/ pkg
		A	B	C		
353 85	No: 3	75	70	110	2	50






TABLE MOUNTING FOOT (M10)

Kod	Type	Renk	Dimensions (mm)			Thickness (mm)	Qty/ pkg
			A	B	C		
353 80	40x40	Black	40	40	40	2	20
353 81	90x90	Black	90	90	40	3	20



SPECIAL FLAT

Code	Type	Dimensions (mm)			Thickness (mm)	Qty/ pkg
		A	B	C		
354 80	Special Flat	40	60	-	2	100



GİZLİ ASKI

Code	Type	Dimensions (mm)			Thickness (mm)	Qty/ pkg
		A	B	C		
354 57	Large	50	100	-	2	50 Set
354 59	Medium	35	65	-	2	150 Set
354 58	Small	25	43	-	1,5	200 Set



PAINTING HANGERS

Code	Type		Thickness (mm)	Qty/ pkg
354 01	A1	Triangle No: 1	0.80	500
354 00	A2	Triangle No: 2	0.80	500
353 99	A3	Triangle No: 3	0.80	500
354 02	B	Burial	2	500
354 05	D	Wall	1	1.000




HIDDEN BORDER HANGER

Code	Dimension (mm)	Thickness (mm)	Qty/ pkg
783 64	25 x 37	1	500




LADDER HINGE

Code	Type	Thickness (mm)	Qty/ pkg
761 50	Classic	2	30
761 51	U type	3	30



HANDRAIL BRACKET - A= 85 mm

Type	Code				Qty/ pkg
	Black	Silver	White	Galvanised	
FLAT	354 60	354 61	354 62	354 63	50
CURVED	354 65	354 66	354 67	354 68	50



HANDRAIL BRACKET - Articulated - A= 85 mm


Type	Code				Qty/ pkg
	Black	Silver	White	Galvanised	
FLAT	354 70	354 71	354 72	354 73	50
CURVED	354 75	354 76	354 77	354 78	50



CHIPBOARD CONNECTOR

Code	Type	Thickness (mm)	Qty/ pkg
354 19	Chipboard Connector	2 mm	100

CHIPBOARD CONNECTOR




Code	Type	Thickness (mm)	Dimensions (mm)			Hole (mm)	Qty/ pkg
			A	B	C		
354 06	U - Type	0.80	19	55	18.5	5	100
354 14	L - Type	0,80	19	55	18.5	5	100

ADJUSTABLE PANEL LEG




Code	Type	Height (mm)	Dimensions (mm)			Hole (mm)	Qty/ pkg
			A	B	C		
354 55	Adjustable	60 - 100	19	40	25	5	50

CHIPBOARD CONNECTOR



Code	Type	Thickness (mm)	Dimensions (mm)			Hole (mm)	Qty/ pkg
			A	B	C		
354 54	U - Type	2	19	40	25	5	100

CARD HOLDER



Code	Type	Thickness (mm)	Dimensions (mm)		Qty/ pkg
			A	B	
353 91	No: 1	0,8	55	20	500
353 92	No: 2	0,8	62	26	500
353 93	No: 3	0,8	77	32	500
353 94	No: 4	0,8	92	42	500

CROSS CONNECTOR



Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ pkg
		A	B	C	(mm)	Qty	
193 80	2	45	45	70	5,5	8	10

CHEST HANGER




Code	Type	Dimensions (mm)	Qty/ pkg
761 40	Little - Galvanized	40x100	20
761 41	Big - Galvanized	40x125	20

CHEST HANGER - PAINTED




Type	Code			Dimensions (mm)	Qty/ pkg
	White	Black	Silver		
Little	761 42	761 43	761 44	40x100	20
Big	761 46	761 47	761 48	40x125	20



HANDLES


Type	Code			Dimensions (mm)		Qty/ pkg
	White	Black	Silver	A	B	
No: 1 Painted	354 16	354 15	354 17	105	15	50
No: 1 Galvanized	354 04			105	15	200



HANDLES

Type	Code			Dimensions (mm)		Qty/ pkg
	Whit	Black	Silver	A	B	
No: 2	e	354 08	354 12	165	19	50
No: 3	354 10	354 09	354 13	215	19	50


354 11



CURTAIN RAIL ANGLE

(Painted White)


Code	Type	Thickness (mm)	Dimensions			Qty/ pkg
			A	B	C	
354 40	90	3	16	60	90	100
354 41	115	3	16	60	115	100
354 43	140	3	16	60	140	100
354 42	165	3	16	60	165	100



HANGERS

(Thickness: 3 mm)

Type	Code			Dimensions (mm) A x B x C	Qty/ pkg
	White	Black	Silver		
Type 30	354 29	354 25	354 33	20x30x45	50
Type 80	354 30	354 26	354 34	20x80x60	40
Circular	354 31	354 27	354 35	20x60x115	30
Coat Stand	354 32	354 28	354 36	20x30x45	50



RAM HANGERS

Type	Code			Thickness (mm)	Qty/ pkg
	White	Black	Silver		
K1	354 90	354 91	354 92	20 x 3	50
K2	354 93	354 94	354 95	20 x 3	50
K3	354 96	354 97	354 98	20 x 3	50



SINGLE HANGERS


Type	Code			Thickness (mm)	Qty/ pkg
	White	Black	Silver		
"L" Type	354 86	354 84	354 88	12 x 3	50
"U" Type	354 87	354 85	354 89	12 x 3	50

TABLE HANGER

Type	Code			Thickness (mm)	Qty/ pkg
	White	Black	Silver		
Table Hanger	354 82	354 81	354 83	12 x 3	50

STAINLESS PRODUCTS (INOX)

BADGED "U-FORM" POST BASES - STAINLESS



Code	Type	Thickness (mm)	Dimensions (mm)			Qty/ Cartoon
			A	B	C	
320 10	Badged 95 - With Base	2	95	90	87	24
320 19	Badged 100 - With Base	2	100	90	85	24
320 20	Badged 105 - With Base	2	105	100	87	24
320 21	Badged 110 - With Base	2	110	100	85	24
320 11	Badged 115 - With Base	2	115	110	87	24
320 22	Badged 120 - With Base	2	120	110	85	20
320 23	Badged 125 - With Base	2	125	120	87	20
320 24	Badged 130 - With Base	2	130	120	85	20
320 12	Badged 135 - With Base	2	135	130	87	20
320 25	Badged 140 - With Base	2	140	130	85	18
320 26	Badged 145 - With Base	2	145	140	87	18
320 27	Badged 150 - With Base	2	150	140	85	18
320 13	Badged 155 - With Base	2	155	150	87	18
320 28	Badged 160 - With Base	2	160	150	85	18
320 29	Badged 165 - With Base	2	165	160	87	18
320 30	Badged 170 - With Base	2	170	160	85	16
320 14	Badged 175 - With Base	2	175	170	87	16
320 31	Badged 180 - With Base	2	180	170	85	12
320 32	Badged 185 - With Base	2	185	180	87	12
320 33	Badged 190 - With Base	2	190	180	85	10
320 15	Badged 195 - With Base	2	195	190	87	10
320 34	Badged 200 - With Base	2	200	190	85	10



320 16	Badged 140+ With Base	3	140	130	85	24
320 17	Badged 160+ With Base	3	160	150	85	24
320 18	Badged 180+ With Base	3	180	170	85	24



320 35	Stainless Gijon	M16	140 mm	12
--------	-----------------	-----	--------	----


POST BASES - STAINLESS


Code	Type	Thickness (mm)	Dimensions (mm)			Qty/ Cartoon
			A	B	C	
320 40	95mm - Post Base	1,5	95	90	130	24
320 41	100mm - Post Base	1,5	100	95	130	24
320 42	105mm - Post Base	1,5	105	100	130	24
* 320 43	110mm - Post Base	1,5	110	105	130	24
320 44	115mm - Post Base	1,5	115	110	130	24
* 320 45	120mm - Post Base	1,5	120	115	130	24
320 46	125mm - Post Base	1,5	125	120	130	24
* 320 47	130mm - Post Base	1,5	130	125	130	24
320 48	135mm - Post Base	1,5	135	130	130	24
320 49	140mm - Post Base	1,5	140	135	130	24
* 320 50	145mm - Post Base	1,5	145	140	130	24
320 51	150mm - Post Base	1,5	150	145	130	24
320 52	155mm - Post Base	1,5	155	150	130	24
320 53	160mm - Post Base	1,5	160	155	130	24
* 320 54	165mm - Post Base	1,5	165	160	130	24
320 55	170mm - Post Base	1,5	170	165	130	24
320 56	175mm - Post Base	1,5	175	170	130	24
320 57	180mm - Post Base	1,5	180	175	130	24
* 320 58	185mm - Post Base	1,5	185	180	130	24
* 320 59	190mm - Post Base	1,5	190	185	130	24
320 60	195mm - Post Base	1,5	195	190	130	24
320 61	200mm - Post Base	1,5	200	195	130	24



U-FORM POST BASES - STAINLESS

Code	Cinsi	Thickness (mm)	Dimensions (mm)			Qty/ Cartoon
			A	B	C	
320 06	U Form 100	2	92	60	55	50
320 07	U Form 100 - With Base	2	92	60	55	40






320 00

320 01

ADJUSTABLE POST BASES - STAINLESS

Code	Type	Thickness (mm)	Dimensions (mm)			Qty/ Cartoon
			A	B	C	
320 00	Adjustable	2.5	80-120	65	110	32
320 01	Adjustable-With Base	2.5	80-120	65	110	32




320 02

320 03


HEAVY LOAD ADJUSTABLE POST BASES - STAINLESS

Code	Type	Thickness (mm)	Dimensions (mm)			Qty/ Cartoon
			A	B	C	
320 02	Adjustable	4	100-150	60	150	20
320 03	Adjustable-With Base	4	100-150	60	150	20




HEAVY DUTY ADJUSTABLE POST BASES - STAINLESS

Code	Type	Thickness (mm)	Dimensions (mm)			Qty/ Cartoon
			A	B	C	
320 04	H. Duty-Adjustable	4	-	60	160	20




HANDLE - STAINLESS

Code	Type	Thickness (mm)	Dimension (mm)		Qty/ pkg
			A	B	
330 50	No: 1	2	105	16	15



ROUND HEAD PROFILE ANGLE - STAINLESS

Code	Thickness (mm)	Dimensions (mm)			Hole (mm)		Qty/ Cartoon
		A	B	C	(mm)	Qty	
320 95	1,5	15	30	30	5	4	200
320 96	1,5	15	40	40	5	4	200
320 97	1,5	15	50	50	5	4	100





ROUND HEAD PROFILE FLAT - STAINLESS

Code	Thickness (mm)	Dimensions (mm)			Hole (mm)		Qty/ Cartoon
		A	B	-	(mm)	Qty	
320 90	1,5	15	60	-	5	4	100
320 91	1,5	15	80	-	5	4	100
320 92	1,5	15	100	-	5	4	100

ANGLES SYMETRIC 90°



:: INOX ::




Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon
		A	B	C	(mm)	Qty	
321 00	1.5	15	20	20	5	2	200
321 01	1.5	15	40	40	5	4	200
321 02	1.5	15	60	60	5	6	100
321 03	1.5	15	80	80	5	8	100
321 04	1.5	15	100	100	5	10	100
321 10	1.5	20	20	20	5	2	200
321 11	1.5	20	40	40	5	4	200
321 12	1.5	20	60	60	5	6	100
321 13	1.5	20	80	80	5	8	100
321 14	1.5	20	100	100	5	10	100
321 20	1.5	30	20	20	5	4	100
321 21	1.5	30	40	40	5	8	100
321 22	1.5	30	60	60	5	12	100
321 23	1.5	30	80	80	5	16	100
321 24	1.5	30	100	100	5	20	50
321 30	1.5	40	20	20	5	4	100
321 31	1.5	40	40	40	5	8	100
321 32	1.5	40	60	60	5	12	100
321 33	1.5	40	80	80	5	16	100
321 34	1.5	40	100	100	5	20	50

FLATS

:: INOX ::




Code	Thickness (mm)	Dimensions (mm)			Hole		Qty/ Cartoon
		A	B	C	(mm)	Qty	
322 00	1.5	15	40	-	5	2	100
322 01	1.5	15	80	-	5	4	100
322 02	1.5	15	120	-	5	6	100
322 03	1.5	15	160	-	5	8	100
322 04	1.5	15	200	-	5	10	50
322 10	1.5	20	40	-	5	2	100
322 11	1.5	20	80	-	5	4	100
322 12	1.5	20	120	-	5	6	100
322 13	1.5	20	160	-	5	8	100
322 14	1.5	20	200	-	5	10	50
322 20	1.5	30	40	-	5	4	100
322 21	1.5	30	80	-	5	8	100
322 22	1.5	30	120	-	5	12	100
322 23	1.5	30	160	-	5	16	100
322 24	1.5	30	200	-	5	20	50
322 30	1.5	40	40	-	5	4	100
322 31	1.5	40	80	-	5	8	100
322 32	1.5	40	120	-	5	12	100
322 33	1.5	40	160	-	5	16	100
322 34	1.5	40	200	-	5	20	50



ANCHORAGE FIXING ELEMENTS


Code	Type	Dimensions (mm)	Thickness (mm)	Coating	Qty/ Cartoon
212 50	Anchorage L Profile	40*50*150	0,8	Galvaniz	50
212 51	Anchorage L Profile	50*50*150	0,8	Galvaniz	50
212 55	Anchorage L Profile	50*125*125	3	Galvaniz	25
212 56	Anchorage L Profile	50*125*125	2	Galvaniz	25
212 00	Anchorage Flat	40*200	0,8	Galvaniz	50
212 01	Anchorage Flat	50*200	0,8	Galvaniz	50
212 10	Anchorage Flat	50*250	3	Galvaniz	25
212 11	Anchorage Flat	50*250	2	Galvaniz	25
212 02	Anchorage C Profile	30*100	3	Galvaniz	50
212 03	Triangle Nail	12*135	1	Galvaniz	50
212 04	Angle Traction Hook -Short	25*145	3	Galvaniz	50
212 05	Angle Traction Hook -Long	25*165	3	Galvaniz	50
212 08	Angle Traction Hook -Long	25*225	3	Galvaniz	50
212 06	Angle Traction Hook -Short	25*145	3	Galvaniz	50
212 07	Angle Traction Hook -Long	25*165	3	Galvaniz	50
212 09	Angle Traction Hook -Long	25*225	3	Galvaniz	50

* Galvanized




ARDA - BRACKETS

Type	Code			Dimension (mm)			Thickness (mm)	Qty/ pkg
	Black	Silver	White	A	B	C		
Small	189 29	189 33	189 31	190	160	20	5	16
Large	189 30	189 34	189 32	250	220	20	5	16




MENDERES - BRACKETS

Type	Code			Dimension (mm)			Thickness (mm)	Qty/ pkg
	Black	Silver	White	A	B	C		
15 x 15	188 30	188 60	188 70	150	150	19	4	20
20 x 20	188 20	188 61	188 71	200	200	19	4	10
25 x 25	188 21	188 62	188 72	250	250	19	4	10
30 x 30	188 19	188 59	188 69	300	300	19	4	10




GEDIZ - BRACKETS

Type	Code			Dimension (mm)			Thickness (mm)	Qty/ pkg
	Black	Silver	White	A	B	C		
15 x 15	188 29	188 63	188 73	150	150	19	4	20
20 x 20	188 22	188 64	188 74	200	200	19	4	10
25 x 25	188 23	188 65	188 75	250	250	19	4	10



MERIC - BRACKETS

Type	Code			Dimension (mm)			Thickness (mm)	Qty/ pkg
	Black	Silver	White	A	B	C		
15 x 15	188 40	188 66	189 36	150	150	19	4	20
20 x 20	188 41	188 67	189 37	200	200	19	4	10
25 x 25	188 42	188 68	189 38	250	250	19	4	10



MADRA - HEAVY DUTY BRACKETS


Type	Code			Dimension (mm)			Thickness (mm)	Qty/ pkg
	Black	Silver	White	A	B	C		
Small	188 26	188 35	188 32	290	200	30	5	8
Medium	188 27	188 36	188 33	390	250	30	5	8
Large	188 31	188 37	188 34	500	330	30	5	10



FOLDING BRACKETS


Code	Type	Dimension (mm)			Thickness (mm)	Qty/ pkg
		A	B	C		
189 87	40 cm	400	200	25	2	12
189 88	50 cm	500	200	25	2	12
189 89	60 cm	600	200	25	2	12

EKO-MENDERES - BRACKETS



Type	Code			Dimension (mm)			Thickness (mm)	Qty/ pkg
	Black	Silver	White	A	B	C		
15 x 15	189 75	189 79	189 83	150	150	20	3	20
20 x 20	189 76	189 80	189 84	200	200	20	3	10
25 x 25	189 77	189 81	189 85	250	250	20	3	10
30 x 30	189 78	189 82	189 86	300	300	20	3	10

SAKARYA - BRACKETS



Type	Code			Dimension (mm)			Thickness (mm)	Qty/ pkg
	Black	Silver	White	A	B	C		
15 x 15	189 00	189 05	188 97	150	150	16	3	24
20 x 20	189 01	189 06	188 98	200	200	16	3	24
25 x 25	189 02	189 07	188 99	250	250	16	3	24

FIRAT - BRACKETS




Type	Code			Dimension (mm)			Thickness (mm)	Qty/ pkg
	Black	Silver	White	A	B	C		
15 x 15	188 76	188 80	188 84	150	150	20	3	20
20 x 20	188 77	188 81	188 85	200	200	20	3	20
20 x 15	188 78	188 82	188 86	200	150	20	3	20
25 x 15	188 79	188 83	188 87	250	150	20	3	20

DICLE -BRACKETS



Type	Code			Dimension (mm)			Thickness (mm)	Qty/ pkg
	Black	Silver	White	A	B	C		
15 x 15	189 52	189 55	189 58	150	150	16	3	20
20 x 20	189 53	189 56	189 59	200	200	16	3	10
25 x 25	189 54	189 57	189 60	250	250	16	3	10

ASI - BRACKETS



Type	Code			Dimension (mm)			Thickness (mm)	Qty/ pkg
	Black	Silver	White	A	B	C		
20x16	188 48	188 51	188 54	200	160	25	3	20
25x20	188 49	188 52	188 55	250	200	25	3	20
20x16	Chrome (188 57)			200	160	25	3	20
25x20	Chrome (188 58)			250	200	25	3	20



210 82




210 81



210 83

Door Stoppers With Stopping Device


Code	Type	Qty/pkg
210 81	Door Stoppers - Wall mounted	1
210 82	Door Stopper - Floor mounted	1
210 83	Door Stopper - Mini Type	20



Barrel Bolts

Qty/pkg. = 20 pcs.

Type	Dimensions (mm)	PAINTED	GALVANIZED
	A x B	Code	Code
Spring Latch	115 x 50	188 16	188 15



Door Latch Sliding Lock

Qty/pkg. = 20 pcs.

Type	Dimensions (mm)	PAINTED	GALVANIZED
	A x B	Code	Code
No: 1	70 x 37	188 08	188 01
No: 2	85 x 37	188 09	188 02
No: 3	100 x 37	188 10	188 03
No: 4	125 x 37	188 11	188 04
No: 5	145 x 37	188 12	188 05
No: 6	165 x 37	188 13	188 06
No: 7	185 x 37	188 14	188 07



Barrel Bolts

Qty/pkg. = 10 pcs.

Type	Dimensions (mm)	BLACK ANTIQUE	GALVANIZED
	A x B	Code	Code
No: 1	120 x 35	189 91	190 00
No: 2	140 x 35	189 92	190 01
No: 3	160 x 35	189 93	190 02
No: 4	180 x 35	189 94	190 03

